

29 inch

Stretched Bar LCD Display Touch Screen



SCREEN
solutions

29 inch Stretched Bar LCD Display Touch Screen

Stretched Display is a commercial display product with an ultra wide LCD screen. In order to meet different needs, it has various of display ratios of length and width. Based on common usage and customer requirements, Screen Solutions provides dozens of all-in-one digital signage stretched displays and stretched lcd monitors, as a way to offer cost-effective overall solutions, while remaining open to more possibilities.

Screen Solutions stretched bar LCD displays have many sizes, configurations and features, making them adaptable to all sorts of digital signage projects. We offer professional installation advice and after-sales service, helping you to get started in no time. It's time to stretch your view as well as your imagination to complete an unprecedented digital experience.

29 inch Stretched Bar LCD Display Touch Screen



Features

- ✓ Capacitive touch screen
- ✓ Natural display with vivid colors
- ✓ Digital signage software
- ✓ New retail solutions
- ✓ Superior industrial design
- ✓ Shelf edge installation
- ✓ Original LCD panel
- ✓ Long life span and energy saving

29 inch Stretched Bar LCD Display Touch Screen

Specifications

| | | |
|------------------|----------------------|---|
| Display | Diagonal Length | 29 inch |
| | Resolution | 1920*540 |
| | Display Area | 698.40*196.425mm |
| | Brightness | 500 cd/m ² |
| | Contrast | 1000:1 |
| | Viewing Angle | 89°/89°/89°/89°(L/R/U/D) |
| | Color | 16.7M/8Bit |
| | Service Life | ≥20,000h |
| I/O | Interface | Mini HDMI x 1, Mini USB x 1, Type C x 1 |
| Touch Screen | Touch | LG Incell Touch |
| Android Solution | CPU/GPU | RK3288W, 4 Core |
| | RAM/ROM | DDR3 1G / eMMC 5.1 8G |
| | Scalable Storage | 128G |
| | Android | Android 7,1 |
| | WiFi | Built-in WiFi (802.11b/g/n 2.4GHz, 1T1R, +BT4.0) |
| | Media Format Support | MP1/2/3, WMA, MWV, APE, OGG/OGA, FLAC, AAC/M4A, MOV/3GP |

29 inch Stretched Bar LCD Display Touch Screen

Specifications

| | | |
|-------|------------------------------|------------------------------|
| Power | Consumption | 36W |
| | Input | DC 12V, Type C Connector |
| | Storage Temperature/Humidity | -10°C~70°C, 5%RH~90%RH |
| | Working Temperature/Humidity | 0°C~40°C, 5%RH~90%RH |
| Other | Net Weight | 2.48 kg |
| | Net Size | 713*214*16mm |
| | Appearance | Black metal shell |
| | Installation | Custom hanging rack optional |
| | Accessories | Power cord |



Contact

Oostplein 424
3061 CH
Rotterdam
The Netherlands

+31 (0)10 412 03 13
info@screensolutions.nl
www.screensolutions.nl

SCREEN
solutions